


**NOTES:**

Connector: HD-Sub 44 Position  
 V.35 Male  
 Cable: UL2919, 24AWG + Double Shielding  
 Color: Grey  
 O.D.: 10.8mm +/- 0.15  
 Screw: #4-40UNC & #6-32UNC

Do not Scale Drawings

Description:		Cable Assembly, 44 position to V.35M	
Approvals	Date	<b>Phyco</b> <b>1740-A Junction Ave.</b> <b>San Jose, CA 95112</b>  <b>V.35-530-XX</b> (XX = Length)	
Drawn	01/07		
MAC	2002		
Checked			
Issued		Drawing#	




**NOTES:**

Connector: V.35 Male  
 Cable: UL2464, 24AWG\*11P+AEB  
 Color: Grey  
 O.D.: 9.5 +/- 0.15  
 Screw: #6-32UNC

Do not Scale Drawings

Description:		Cable Assembly, V.35M to V.35M	
Approvals	Date	<b>Phyco</b> 1740-A Junction Ave. San Jose, CA 95112  Drawing# <b>V.35-540-XX</b> (XX = Length)	
Drawn	01/07		
Checked	2002		
Issued			

**NOTES:**

Connector: D-Sub 25 Position  
V.35 Male

Cable: UL2919, 24AWG + Double Shielding  
Color: Grey  
O.D.: 10.8mm +/- 0.15

Screw: #4-40UNC & #6-32UNC

Do not Scale Drawings

**Description:**

Cable Assembly, 25 position to V.35M

Approvals	Date
Drawn MAC	01/07 2002
Checked	
Issued	

**Phyco**  
1740-A Junction Ave.  
San Jose, CA 95112


Drawing#

**V.35-550A-XX**

(XX = Length)

V.35 Male

HD15 Male




**NOTES:**

- Connector: HD-Sub 15 Position  
V.35 Female
- Cable: UL2464, 24AWG+ AEB  
Color: Grey  
O.D.: 9.5mm +/- 0.15
- Screw: #4-40UNC & #6-32UNC

Do not Scale Drawings

Description:		Cable Assembly, 15 position to V.35F	
Approvals	Date	<p style="text-align: center;">Phyco 1740-A Junction Ave. San Jose, CA 95112</p> <p style="text-align: center;">Drawing# <b>V.35-550B-XX</b> (XX = Length)</p>	
Drawn	01/07		
Checked	MAC		
Issued	2003		

**NOTES:**

Connector: D-Sub 37 Position  
V.35 Male

Cable: UL2919, 24AWG + Double Shielding

Color: Grey

O.D.: 10.8mm +/- 0.15

Screw: #4-40UNC & #6-32UNC

Do not Scale Drawings

**Description:**

Cable Assembly, 37 position to V.35M

Approvals	Date
Drawn MAC	01/07 2002
Checked	
Issued	

Phyco

1740-A Junction Ave.

San Jose, CA 95112

Drawing#

**V.35-550C-XX**

(XX = Length)